



RECRUITMENT

Hints and Tips



SurfON

Times when it may be appropriate to approach parents about SurfON

- If you are admitting a baby who meets the gestation criteria and is exhibiting signs of respiratory distress, regardless of a need for respiratory intervention at this point
- If you are counselling a mother whose baby is being delivered late preterm or early term and there is suspicion the infant may need neonatal unit admission

- If the baby has an oxygen requirement, regardless of a decision to commence non-invasive respiratory support
- If the infant is on ncpap or high flow, but is in less than 30% oxygen and does not have clinically significant work of breathing

Times when it may be appropriate to approach and consent, but not randomise to SurfON

Times when it is appropriate to consent and randomise to SurfON

- If the infant is on ncpap or highflow and has significant work of breathing, regardless of oxygen requirement
- If the infant meets the entry criteria, but enrolment may mean the infant could subsequently need transferring out

www.npeu.ox.ac.uk/surfon

Study team contact details

☎ 01865 289 437/ 289 738/ 617 965 ✉ surfon@npeu.ox.ac.uk

Not for display in an area accessible by the patients or public

Think
early!

SURFON

Surfactant Or Not



DON'T WAIT



for babies to reach 30% O²
requirements for eligibility!

APPROACH PARENTS

of any infants with clinically
significant work of breathing of
34⁺⁰ – 38⁺⁶ weeks gestation ≤24 hours old

www.npeu.ox.ac.uk/surfon

Study team contact details

☎ 01865 289 437/738/599 ✉ surfon@npeu.ox.ac.uk

Not for display in an area accessible by the patients or public

FUNDED BY
NIHR | National Institute
for Health Research

 UNIVERSITY OF
LEICESTER

 **NPEU**
Clinical Trials Unit

 UNIVERSITY OF
OXFORD

This study is funded by the National Institute for Health Research (NIHR) [Health Technology Assessment (HTA) (project reference 17/89/07)]. The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.

SurfON

Surfactant Or Not



Think early!

Think SurfON

Think early!



Approach parents

of babies 34⁺⁰ - 38⁺⁶ weeks gestation, exhibiting signs of respiratory distress



Recruit



www.npeu.ox.ac.uk/surfon

Study team contact details

☎ 01865 289 437/738/599 ✉ surfon@npeu.ox.ac.uk

Not for display in an area accessible by the patients or public

FUNDED BY
NIHR | National Institute for Health Research

 UNIVERSITY OF
LEICESTER

 **NPEU**
Clinical Trials Unit

 UNIVERSITY OF
OXFORD

This study is funded by the National Institute for Health Research (NIHR) [Health Technology Assessment (HTA) (project reference 17/89/07)]. The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.