

## Currently, UKOSS is collecting information on cases of:

### Amniotic Fluid Embolism

**EITHER** a clinical diagnosis of AFE (acute hypotension or cardiac arrest, acute hypoxia or coagulopathy in the absence of any other potential explanation for the symptoms and signs observed)

**OR** a pathological diagnosis (presence of fetal squames or hair in the lungs).

### HLH (Haemophagocytic Lymphohistiocytosis)

Any pregnant or recently pregnant (<6 weeks since delivery) woman with a diagnosis or suspected diagnosis of haemophagocytic lymphohistiocytosis (HLH) or macrophage activation syndrome (MAS).

### Long-term non-invasive ventilation in pregnancy

Any pregnant woman who commenced non-invasive ventilation (NIV) or continuous positive airway pressure (CPAP) for a long-term condition, either prior to or during their current pregnancy, and who are booked for antenatal care in a UK obstetric unit.

Excluded: Women commencing NIV/CPAP for an acute condition such as Covid-19 infection.

### Peripartum Hysterectomy

Any woman undergoing surgical removal of the uterus during pregnancy or within 42 days of the end of pregnancy.

### Severe respiratory virus infection in pregnancy and participating in the RECOVERY or REMAP-CAP Trial

Any woman admitted to hospital in pregnancy and participating in the RECOVERY or REMAP-CAP Trial.

### Transabdominal cerclage

Any pregnant woman who presents to an obstetric unit with a transabdominal cerclage in situ.

**To report a case at this Hospital  
please contact:**